



ELSEVIER

Earth and Planetary Science Letters 188 (2001) 561–563

EPSL

www.elsevier.com/locate/epsl

## Contents Volume 188

### Regular Letters

- K–Ar dating of an early Middle Pleistocene distal tephra in the interglacial varved succession of Piànico-Sèllere (Southern Alps, Italy)  
D.L. Pinti, X. Quidelleur, S. Chiesa, C. Ravazzi and P.-Y. Gillot ..... 1
- Genesis of microdiamonds from melt and associated multiphase inclusions in garnet of ultrahigh-pressure gneiss from Erzgebirge, Germany  
S.-L. Hwang, P. Shen, H.-T. Chu, T.-F. Yui and C.-C. Lin ..... 9
- Magnetic susceptibility as carrier of a climatic signal in chalk  
M. Stage ..... 17
- A record of Holocene climate in the mineral magnetic record of Alpine lakes: Sägistalsee and Hinterburgsee  
L. Lanci, A.M. Hirt, A.F. Lotter and M. Sturm ..... 29
- A theoretical treatment of paleointensity determination experiments on rocks containing pseudo-single or multi domain magnetic particles  
K. Fabian ..... 45
- The effect of cation charge on crystal–melt partitioning of trace elements  
B.J. Wood and J.D. Blundy ..... 59
- Recording changes in ENADW composition over the last 340 ka using high-precision lead isotopes in a Fe–Mn crust  
C. Claude-Ivanaj, A.W. Hofmann, I. Vlastélic and A. Koschinsky ..... 73
- Seafloor spreading on the Southeast Indian Ridge over the last one million years: a test of the Capricorn plate hypothesis  
J.A. Conder and D.W. Forsyth ..... 91
- Effects of melt percolation on the Re–Os systematics of peridotites from a Paleozoic convergent plate margin  
H. Becker, S.B. Shirey and R.W. Carlson ..... 107
- A tectonic model for Cenozoic igneous activities in the eastern Indo–Asian collision zone  
J.-H. Wang, A. Yin, T.M. Harrison, M. Grove, Y.-Q. Zhang and G.-H. Xie ..... 123
- Pulsed uplift estimated from terrace elevations in the coast of Rome: evidence for a new phase of volcanic activity?  
D.B. Karner, F. Marra, F. Florindo and E. Boschi ..... 135
- Experimental constraints on high pressure melting in subducted crust  
J. Hermann and D.H. Green ..... 149
- Hydrous metasomatism of oceanic sub-arc mantle, Lihir, Papua New Guinea: petrology and geochemistry of fluid-metasomatised mantle wedge xenoliths  
B.I.A. McInnes, M. Gregoire, R.A. Binns, P.M. Herzig and M.D. Hannington ..... 169
- Ion micro-probe U–Pb zircon geochronology of peak and retrograde stages of ultrahigh-pressure metamorphic rocks from the Kokchetav massif, northern Kazakhstan  
I. Katayama, S. Maruyama, C.D. Parkinson, K. Terada and Y. Sano ..... 185
- Phanerozoic, pre-Cretaceous thermotectonic events in southern Sweden revealed by fission track thermochronology  
C. Cederbom ..... 199
- Concurrent evolution of  $^3\text{He}/^4\text{He}$  ratio in the Earth's mantle reservoirs for the first 2 Ga  
A. Seta, T. Matsumoto and J.-i. Matsuda ..... 211
- Effects of a viscoelastic lithosphere on the isostatic bedrock response  
E. Le Meur ..... 221
- The strain path and emplacement mechanism of lava flows: an example from Salina (southern Tyrrhenian Sea, Italy)  
G. Ventura ..... 229

Numerical modelling of strain localisation during extension of the continental lithosphere	
S. Frederiksen and J. Braun	241
A new approach to stable isotope-based paleoaltimetry: implications for paleoaltimetry and paleohypsometry of the High Himalaya since the Late Miocene	
D.B. Rowley, R.T. Pierrehumbert and B.S. Currie	253
Dating sediment burial with in situ-produced cosmogenic nuclides: theory, techniques, and limitations	
D.E. Granger and P.F. Muzikar	269
<b>Discussion</b>	
Comment on 'Scaling factors for production rates of in situ produced cosmogenic nuclides: a critical reevaluation' by Tibor J. Dunai	
D. Desilets, M. Zreda and N.A. Lifton	283
Reply to comment on 'Scaling factors for production rates of in situ produced cosmogenic nuclides: a critical reevaluation' by Darin Desilets, Marek Zreda and Nathaniel Lifton	
T.J. Dunai	289
<b>Regular Letters</b>	
Late Cenozoic tectonism, collapse caldera and plateau formation in the central Andes	
U. Riller, I. Petrinovic, J. Ramelow, M. Strecker and O. Oncken	299
Compaction in a mantle mush with high melt concentrations and the generation of magma chambers	
M. Rabinowicz, P. Genthon, G. Ceuleneer and M. Hillairret	313
U-series disequilibria generated by partial melting of spinel lherzolite	
D. Landwehr, J. Blundy, E.M. Chamorro-Perez, E. Hill and B. Wood	329
Geochemical heterogeneity within mid-ocean ridge lava flows: insights into eruption, emplacement and global variations in magma generation	
K.H. Rubin, M.C. Smith, E.C. Bergmanis, M.R. Perfit, J.M. Sinton and R. Batiza	349
Re-Os systematics and platinum-group element distribution in metalliferous sediments from the Troodos ophiolite	
G. Ravizza, J. Blusztajn and H.M. Prichard	369
Low degree melting under the Southwest Indian Ridge: the roles of mantle temperature, conductive cooling and wet melting	
C.J. Robinson, M.J. Bickle, T.A. Minshull, R.S. White and A.R.L. Nichols	383
Shock-induced vaporization of anhydrite and global cooling from the K/T impact	
S.C. Gupta, T.J. Ahrens and W. Yang	399
Influence of crystal size on apatite (U-Th)/He thermochronology: an example from the Bighorn Mountains, Wyoming	
P.W. Reiners and K.A. Farley	413
A dynamical investigation of the heat and helium imbalance	
P.E. van Keken, C.J. Ballentine and D. Porcelli	421
Terrestrial cosmogenic argon	
P.R. Renne, K.A. Farley, T.A. Becker and W.D. Sharp	435
Large-scale erosion rates from in situ-produced cosmogenic nuclides in European river sediments	
M. Schaller, F. von Blanckenburg, N. Hovius and P.W. Kubik	441
Erosion of Deccan Traps determined by river geochemistry: impact on the global climate and the $^{87}\text{Sr}/^{86}\text{Sr}$ ratio of seawater	
C. Dessert, B. Dupré, L.M. François, J. Schott, J. Gaillardet, G. Chakrapani and S. Bajpai	459
Tracing patterns of erosion and drainage in the Paleogene Himalaya through ion probe Pb isotope analysis of detrital K-feldspars in the Indus Molasse, India	
P.D. Clift, N. Shimizu, G.D. Layne and J. Blusztajn	475
Initiation of the European deglaciation as recorded in the northwestern Bay of Biscay slope environments (Meriadzek Terrace and Trevelyan Escarpment): a multi-proxy approach	
S. Zaragosi, F. Eynaud, C. Pujol, G.A. Auffret, J.-L. Turon and T. Garlan	493
New insights into the glacial latitudinal temperature gradients in the North Atlantic. Results from $\text{U}_{37}^{\text{K}}$ sea surface temperatures and terrigenous inputs	
E. Calvo, J. Villanueva, J.O. Grimalt, A. Boelaert and L. Labeyrie	509
Heat flow, sediment and pore fluid chemistry, and hydrothermal circulation on the east flank of Alarcon Ridge, Gulf of California	
A.T. Fisher, E. Giambalvo, J. Sclater, M. Kastner, B. Ransom, Y. Weinstein and P. Lonsdale	521
Dynamics of carbon dioxide emission at Mammoth Mountain, California	
J.D. Rogie, D.M. Kerrick, M.L. Sorey, G. Chiodini and D.L. Galloway	535

**Monitoring of active but quiescent volcanoes using light hydrocarbon distribution in volcanic gases: the results of 4 years of discontinuous monitoring in the Campi Flegrei (Italy)**

B. Capaccioni and F. Mangani ..... 543

*Author Index Volume 188* ..... 557

*Background data* are defined as data that are relevant to the article but are not directly related to the main results of the study. The background data are those that are of interest to the authors and of good scientific quality. The background data may include data from source studies, data, graphs, maps, tables or figures. The article should be self-contained, however the background data should provide the necessary context for the main results of the study. The background data should be relevant to the article and should be of good scientific quality.

**SOME IMPORTANT POINTS**

All data sets are relevant, therefore a paper to be submitted to one of the Editors of *Earth and Planetary Science Letters* should be accompanied by a hardcopy and electronic version of the data set and a completed Data Set Description Form (see below).

After acceptance, the hardcopy data set will reside on the Elsevier server until they will be made available to the readers, together with the article.

Fields in the Data Set Description Form will be exactly replicated in EPSC Online in order to provide the reader with the required background information.

All components of the data set must be clearly labeled so that the reviewer/reader can immediately understand what the data represent.

Data should be stored in the most common format possible (i.e. downloading and viewing in different software packages) or, alternatively, a format that is widely accepted within the scientific field. Graphics should be stored in a widely used format (e.g. JPEG for photographs, GIF for images). For security reasons, password-protected binary materials will not be accepted.

Each data set should be submitted in one file; do not combine different data sets into one file, and do not put a single data set into multiple files.

For practical reasons, there are limits to the size of the background data files. The background data set should be in uncompressed form as a standard high quality DDS/RAC format (Type 1 + 10).

